






Wetrok Exportlist 2010

Machines




Single Disc Machines	2
Scrubber-driers	5
Dry Vacuum Cleaners	14
Wet and Dry Vacuum Cleaners	17
Carpet and Steam Machines	23
Sweepers	25

Single Disc Machines

	Specifications		Description	Price in	Art. No.
	Monomatic LS	Power supply	230 V/50	Machine without accessories	20.051
	Brush rotation speed	162 rpm			
	Performance	1200 W			
	Torque	55 Nm			
	Working width	430 mm			
	Weight	34 kg			
	Height above chassis (incl. pad drive disk)	100 mm			
	Height above motor (incl. pad drive disk)	350 mm			
	Cable length	12.5 m			
	Transport wheels	160 mm Ø			
	Protection class	I			
Noise level	57 dB				
	Monomatic I	Power supply	230 V/50	Machine without accessories	20.053
	Brush rotation speed	120 rpm			
	Performance	1600 W			
	Torque	95 Nm			
	Working width	430 mm			
	Weight	43 kg			
	Height above chassis (incl. pad drive disk)	100 mm			
	Height above motor (incl. pad drive disk)	350 mm			
	Cable length	12.5 m			
	Transport wheels	160 mm Ø			
	Protection class	I			
Noise level	57 dB				
	Monomatic DS	Power supply	230 V/50	Machine without accessories	20.055
	Brush rotation speed	170/340			
	Performance	1500 W			
	Torque	51/28.5 Nm			
	Working width	430 mm			
	Weight	35 kg			
	Height above chassis (incl. pad drive disk)	100 mm			
	Height above motor (incl. pad drive disk)	350 mm			
	Cable length	12.5 m			
	Transport wheels	160 mm Ø			
	Protection class	I			
Noise level	51 dB				
	Monomatic HS	Power supply	230 V/50	Machine without accessories	20.057
	Brush rotation speed	400 rpm			
	Performance	1500 W			
	Torque	28.5 Nm			
	Working width	430 mm			
	Weight	34 kg			
	Height above chassis (incl. pad drive disk)	100 mm			
	Height above motor (incl. pad drive disk)	350 mm			
	Cable length	12.5 m			
	Transport wheels	160 mm Ø			
	Protection class	I			
Noise level	58 dB				


Single Disc Machines

	Specifications		Description	Price in	Art. No.
	Monomatic US	Power supply	230 V/50	Machine incl. pad drive disk without accessories	20.059
	Brush rotation speed	1100 rpm			
	Performance	1800 W			
	Torque	15.5 Nm			
	Working width	500 mm			
	Weight	45 kg			
	Height above motor (incl. pad drive disk)	350 mm			
	Cable length	20.5 m			
	Transport wheels	160 mm Ø			
	Protection class	I			
	Noise level	56 dB			



Accessories for Monomatic	Accessories:				
	Spray appliance 2 l				21.016
	Water tank 14 l				21.001
	Vacuum ring complete HS				21.025
	Vacuum ring complete US				21.030
	Vacuuuming unit				40.312
	Electric socket with cover				21.022
	Pad drive disk LS				21.112
	Pad drive disk HS				21.120
	Pad drive disk HS-PUR				21.126
	Pad drive disk for carpet pad				21.115
	Chassis plate				24.758
	Supplementary weight (1.9kg), 1 pc.				21.160
	Union polishing brush				21.210
	Polypropylene scrubbing brush				21.270
	Supernylon scrubbing brush				21.285
	Scrubbing brush for washed-out concrete				21.295
	Tynex scrubbing brush				21.300
	Nylon shampooing brush				21.310
	Nylon shampooing brush, hard				21.315

Consumables for Monomatic					
	Poly-Pad	beige	LS/DS/HS	430 mm	22.321
	Poly-Pad	red	LS/DS/HS	430 mm	22.322
	Poly-Pad	blue	LS/DS/HS	430 mm	22.325
	Poly-Pad	green	LS/DS/HS	430 mm	22.323
	Poly-Pad	black	LS/DS/HS	430 mm	22.324
	Poly-Pad	Bluelce	DS/HS	430 mm	22.334
	Microsol® Fibre Pad		LS/DS/I	430 mm	52.408
	Carpet Pad		LS/I	430 mm	22.330
	Abrasive disk	no. 16	LS/I	410 mm	22.401
	Abrasive disk	no. 40	LS/I	410 mm	22.409
	Abrasive net (SN)	no. 60	LS/I	432 mm	22.411
	Abrasive net (SN)	no. 80	LS/I	432 mm	22.413
	Abrasive net (SN)	no. 100	LS/I	432 mm	22.415
	Abrasive net (SN)	no. 150	LS/I	432 mm	22.417
	Ultra-Speed Pad	yellow	US	500 mm	22.338
	Ultra-Speed Pad	pink	US	500 mm	22.339
	Ultra-Speed Pad	Bluelce	US	500 mm	22.335



Single Disc Machines

Specifications	Description	Price in	Art. No.	
BrushBoy	BrushBoy complete		20.002	
	consisting of:			
	1 BrushBoy with grip and telescopic handle		21.370	
	1 Battery pack cpl.		23.212	
	1 Charger		21.371	
	2 Scrubbing brushes white 0,4		21.375	
	2 Scrubbing brushes white 0,6		21 111	
	2 Pad drive discs BB		22.371	
	2 Pads BB red		22.372	
	2 Pads BB green		22.370	
	2 Microfibre-Pads BB			
	Accessories:			
	Water tank 2,4l BB			21.002
	BrushBag			21.003
	Pad drive disc BB	1 pc. = 2 discs		21 111
	Batterie pack cpl.			21.370
	Mains cable with adapter			21.368
	Shoulder/belt bag			21.369
	Scrubbing brush white 0,4	1 pc.. = 2 brushes		21.371
	Scrubbing brush red 0,4	1 pc.. = 2 brushes		21.372
	Scrubbing brush yellow 0,4	1 pc.. = 2 brushes		21.373
Scrubbing brush blue 0,4	1 pc.. = 2 brushes		21.374	
Scrubbing brush white 0,6	1 pc.. = 2 brushes		21.375	
Scheuerbürste Tynex 0,6	1 pc.. = 2 brushes		21.376	
Microfibre pad BB	1 pc.. = 10 Pads		22.370	
Pad BB red	1 pc.. = 10 Pads		22.371	
Pad BB green	1 pc.. = 10 Pads		22.372	
Pad BB black	1 pc.. = 10 Pads		22.373	


Scrubber-driers

	Specifications		Description	Price in	Art. No.
 Duomatic 350 E	Power supply	230 V/50	Duomatic 350 E		50.031
	Cleaning performance		(without brush)		
	theoretical	1300 m ² /h	Accessories/consumables		
	practical	200-400	Cylindrical brush universal		51.292
	Working width	350 mm	Cylindrical brush K 320 hard		51.090
	Suction nozzle width	460 mm	Cylindrical brush K 500 soft		51.092
	Total length	610 mm	Lip for suction nozzle		52.002
	Total width		(4 pcs. required per machine)		
	incl. suction nozzle	480 mm	Universal filling hose 3 m		51.400
	Total height	1050 mm			
	Brush motor	370 W			
	Suction motor	850 W			
	Vacuum	228 mbar			
	Airflow rate	42 l/s			
	Number of brushes	1			
	Brush pressure	70 N			
		1.5 N/cm ²			
	Brush speed	630 rpm			
	Membrane tank	12 l			
	Weight	53 kg			
	Main wheels	2 x			
Castor wheels	2 x 50				
Net fuse	10 AT				
Cable length	25 m				
 Discomatic Samba	Nominal voltage	24 V/DC	Discomatic Samba		50.016
	Cleaning performance		incl. batteries, suction nozzle,		
	theoretical	1200 m ² /h	Brush PP and int. charger		
	Working width	380 mm	Consumables		
	Total length	460 mm	Battery (1 pcs.)		62.867
	Suction nozzle width	850 mm	Suction nozzle		69.181
	curved/straight	500 mm	Suction lip, back		62.819
	Total height	1030 mm	Suction lip, front		62.810
	Brush motor	250 W	Accessories		
	Suction motor	300 W	Disco Samba PP scrubbing brush		21.004
	Vacuum	90 mbar	Disco Samba SN scrubbing brush		21.006
	Propulsion:	Selfpropelle	Disco Samba TY scrubbing brush		21.007
	Number of brushes	1	Disco Samba pad drive disc		21.005
	Brush pressure	280 N	Splash guard		69.188
		0.41 N/cm ²	Poly-Pad yellow		22.301
	Brush speed	130 rpm	Poly-Pad red		22.302
	Fresh water tank	15 l	Poly-Pad blue		22.305
	Waste water tank	23 l	Poly-Pad green		22.303
	Weight incl. Batteries	62 kg	Poly-Pad black		22.304
			Microsol fibre pad		52.049
			Universal filling hose		51.400




Scrubber-driers

	Specifications		Description	Price in	Art. No.
	Scrubo 43 B	Battery tension	24 V	Scrubo 43 E	50.143
	Cleaning performance		without suction nozzle,		
	theoretical	1720 m ² /h	accessories and consumables		
	Working width	430 mm	Acessories/consumables		
	Total length	1150 mm	Suction nozzle curved support	51.056	
	Suction nozzle width		Suction lip front, yellow	52.201	
	curved/straight	790/720	Suction lip aft, transparent	52.009	
	Total height	1100 mm	Suction nozzle straight	51.059	
	Tank height	770 mm	Suction lip front, brown	52.065	
	Brush motor	600 W	Suction lip aft, blue	52.066	
	Suction motor	370 W	Supernylon scrubbing brush	21.285	
	Valve	15 W	Polypropylene scrubbing brush	21.270	
	Total power		Scrubbing brush for washed-out concrete	21.295	
	consumption	985 W	Tynex scrubbing brush (extreme hard)	21.300	
	Practical vacuum	110 mbar	Pad drive disk	21.110	
	Airflow rate	32 l/s	Pad yellow (1 pack = 5 pcs.)	22.321	
	Propulsion:	Selfpropelle	Pad red (1 pack = 5 pcs.)	22.322	
Number of brushes	1	Pad blue (1 pack = 5 pcs.)	22.325		
Brush pressure	360 N	Pad green (1 pack = 5 pcs.)	22.323		
	0.26 N/cm ²	Pad black (1 pack = 5 pcs.)	22.324		
Brush speed	140 rpm	Microsol fibre pad	52.408		
Fresh water tank	30 l	Splash protection	51.069		
Waste water tank	40 l	Universal filling hose 2.5 m	51.400		
Operational weight	154 kg				
Empty weight	57 kg				
Running time with battery 24V/70Ah	max. 2.5				
Protection class	IPX 4				
<hr/>					
	Scrubo 43 BI	battery 24V/70Ah	max. 2.5	Scrubo 43 BI	50.158
	Protection class	IPX 4		With integrated charger	
	Battery tension	24 V	without suction nozzle,		
	Cleaning performance		accessories and consumables		
	theoretical	1720 m ² /h	Acessories/consumables		
	Working width	430 mm	Suction nozzle curved support	51.056	
	Total length	1150 mm	Suction lip front, yellow	52.201	
	Suction nozzle width		Suction lip aft, transparent	52.009	
	curved/straight	790/720	Suction nozzle straight	51.059	
	Total height	1100 mm	Suction lip front, brown	52.065	
	Tank height	770 mm	Suction lip aft, blue	52.066	
	Brush motor	600 W	Supernylon scrubbing brush	21.285	
	Suction motor	370 W	Polypropylene scrubbing brush	21.270	
	Valve	15 W	Scrubbing brush for washed-out concrete	21.295	
	Total power		Tynex scrubbing brush (extremely hard)	21.300	
	consumption	985 W	Pad drive disk	21.110	
	Practical vacuum	110 mbar	Pad yellow (1 pack = 5 pcs.)	22.321	
Airflow rate	32 l/s	Pad red (1 pack = 5 pcs.)	22.322		
Propulsion:	Selfpropelle	Pad blue (1 pack = 5 pcs.)	22.325		
Number of brushes	1	Pad green (1 pack = 5 pcs.)	22.323		
Brush pressure	360 N	Pad black (1 pack = 5 pcs.)	22.324		
	0.26 N/cm ²	Microsol fibre pad	52.408		
Brush speed	140 rpm	Splash protection	51.069		
Fresh water tank	30 l				
Waste water tank	40 l				
Operational weight	154 kg				
Empty weight	57 kg				
Running time with battery 24V/70Ah	max. 2.5				

Scrubber-driers

	Specifications		Description	Price in	Art. No.	
	Scrubo 43 E		Scrubo 43 E		50.142	
			without suction nozzle, accessories and consumables			
	Power supply	230 V/50 Hz				
	Cleaning performance theoretical	1720 m ² /h				
	Working width	430 mm				
	Total length	1100 mm				
	Suction nozzle width curved/straight	790/720 mm				
	Total height	1100 mm				
	Tank height	650 mm				
	Brush motor	1000 W		Suction nozzle straight		51.059
	Suction motor	1100 W		Suction lip front, brown		52.065
	Valve	15 W		Suction lip aft, blue		52.066
	Total power consumption	2115 W		Supernylon scrubbing brush		21.285
	Practical vacuum	165 mbar		Polypropylene scrubbing brush		21.270
	Airflow rate	42 l/s		Scrubbing brush for washed-out concrete		21.295
	Propulsion:	Selfpropelled		Tynex scrubbing brush (extreme hard)		21.300
	Number of brushes	1		Pad drive disk		21.110
	Brush pressure	410 N		Pad yellow (1 pack = 5 pcs.)		22.321
		0.3 N/cm ²		Pad red (1 pack = 5 pcs.)		22.322
	Brush speed	150 rpm		Pad blue (1 pack = 5 pcs.)		22.325
	Fresh water tank	33 l		Pad green (1 pack = 5 pcs.)		22.323
Waste water tank	40 l		Pad black (1 pack = 5 pcs.)		22.324	
Operational weight	89 kg		Microsol fibre pad		52.408	
Empty weight	56 kg		Splash protection		51.069	
Cable length	20 m		Universal filling hose 2.5 m		51.400	
Protection class	IPX 4					

Scrubber-driers

	Specifications		Description	Price in	Art. No.
	Duomatic C43/C50/C60 B	Battery tension	24 V	Duomatic C43/C50/C60 B	50.102
		Theoretical cleaning	1700/2000/2400 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories:	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Propulsion:	Self-propelled	Suction nozzle C60 (RS80)	51.504
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Tank content	2x30 l		
		Operational weight	185 kg		
	Running time with battery 24V/70Ah	approx. 1.5 hrs			
	battery 24V/100Ah	approx. 3.0 hrs.			
	Duomatic C43/C50/C60 BM	Battery tension	24 V	Duomatic C43/C50/C60 BM	50.103
		Theoretical cleaning	1720/2000/2400 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories:	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Propulsion:	Self-propelled	Suction nozzle C60 (RS80)	51.504
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Content of membrane tank	57 l		
		Operational weight	212 kg		
	Running time with battery 24V/70Ah	approx. 1.5 hrs.			
	battery 24V/100Ah	approx. 3.0 hrs.			
	Duomatic C43/C50/C60 BMA	Battery tension	24 V	Duomatic C43/C50/C60 BMA	50.104
		Theoretical cleaning	2150/2500/3000 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories:	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Forward speed	5.0 km/h	Suction nozzle C60 (RS80)	51.504
		Reverse speed	2.5 km/h		
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Content of membrane tank	57 l		
	Operational weight	228 kg			
	Running time with battery 24V/70Ah	approx. 1.3 hrs.			
	battery 24V/100Ah	approx. 2.4 hrs.			



Scrubber-driers

	Specifications		Description	Price in	Art. No.
	Duomatic C43/C50/C60 BA	Battery tension	24 V	Duomatic C43/C50/C60 BA	50.105
		Theoretical cleaning	2150/2500/3000 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories:	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Forward speed	5.0 km/h	Suction nozzle C60 (RS80)	51.504
		Reverse speed	2.5 km/h		
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Tank content	2x30 l		
		Operational weight	201 kg		
	Running time with battery 24V/70Ah	approx. 1.5 hrs			
	battery 24V/100Ah	approx. 3.0 hrs.			
	Duomatic C43/C50/C60 E	Main connection	24 V	Duomatic C43/C50/C60 E	50.100
		Theoretical cleaning	1700/2000/2400 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Propulsion:	Self-propelled	Suction nozzle C60 (RS80)	51.504
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Tank content	2x30 l		
		Operational weight	212 kg		
		Duomatic C43/C50/C60 EM	Power supply	230 V/50 Hz	Duomatic C43/C50/C60 EM
		Theoretical cleaning	1700/2000/2400 m2/h	basic unit without	
		Working width	430/500/600 mm	brush housing, suction nozzle,	
		Total length	1200/1200/1290 mm	accessories and consumables	
		Total width	680/770/920 mm		
		Total height	1100 mm	Accessories	
		Tank height	770 mm	Brush housing C43	51.040
		Brush motor	2x190/190/210 W	Brush housing C50	51.041
		Suction motor	387 W	Brush housing C60	51.051
		Theoretical vacuum	154 mbar	Suction nozzle C43	51.053
		Airflow rate	33 l/s	Suction nozzle C50	51.054
		Propulsion:	Self-propelled	Suction nozzle C60 (RS80)	51.504
		Number of brushes	2		
		Brush pressure	0.41/0.30/0.24 N/cm2		
		Brush speed	220/220/200 rpm		
		Tank content	2x30 l		
		Operational weight	212 kg		

Scrubber-driers

	Specifications	Description	Price in	Art. No.
Duomatic C accessories	Dryfit batteries 70 Ah/24 V			51.307
	Dryfit batteries 100 Ah/24 V			51.320
	Membrane complete			58.114
	Cable pole cpl. Duomatic C			51.043
	Pad drive disk C43, 2 pcs.			51.100
	Pad drive disk C50, 2 pcs.			51.110
	Pad drive disk C60, 2 pcs			51.229
	Scrubbing brush Supernylon C43, 2 pcs.			51.240
	Scrubbing brush Supernylon C50, 2 pcs.			51.245
	Scrubbing brush Supernylon C60, 2 pcs.			51.231
	Scrubbing brush Supernylon C43, 2 pcs.			51.240
	Scrubbing brush Supernylon C50, 2 pcs.			51.205
	Scrubbing brush Supernylon C60, 2 pcs.			51.232
	Scrubbing brush Tynex C50, 2			51.246
	Scrubbing brush Tynex C60, 2			51.233
	Suction lip front yellow C43			52.202
	Suction lip front yellow C50			52.201
	Suction lip front transparent C60			52.061
	Suction lip rear transparent C43			52.006
	Suction lip rear transparent C50			52.009
	Suction lip rear transparent C60			52.060
	Water connector 3m			51.400

Scrubber-driers


	Specifications	Description	Price in	Art. No.		
	Duomatic Laser 65/75 Battery tension 24 V Theoretical cleaning 3250/3750 m ² /h Working width 650/750 Total length 70/1420 mm Total width 544 mm Total height 1170 mm Number of brushes 2 Brush pressure max. 0,24 N/cm ² Vacuum max. 166 mbar Airflow rate 90 m ³ /h Tank in tank content 80 l Forward speed 5.0 km/h Reverse speed 2.3 km/h Operational net weight 357 kg Long Running System no Running time with battery 24V/180Ah 2.5 hrs. Motor brake yes max. incline 8%	Duomatic Laser 65/75 basic unit without brush housing, suction nozzle, accessories and consumables Accessories: Brush housing Laser 65 51.500 Brush housing Laser 75 51.501 Suction nozzle Laser 65 / 75 51.036 Suction nozzle RS 80 51.504 Suction nozzle RS 90 51.105			50.280	
		Duomatic Laser 65L/75L Battery tension 24 V Theoretical cleaning 3250/3750 m ² /h Working width 813 mm Total length 70/1420 mm Total width 544 mm Total height 1170 mm Number of brushes 2 Brush pressure max. 0,24 N/cm ² Vacuum max. 166 mbar Airflow rate 90 m ³ /h Tank in tank content 80 l Forward speed 5.0 km/h Reverse speed 2.3 km/h Operational net weight 357 kg Long Running System yes Running time with battery 24V/180Ah 2.5 hrs. Motor brake yes max. incline 8%	Duomatic Laser 65L/75L basic unit without brush housing, suction nozzle, accessories and consumables Accessories: Brush housing Laser 65 51.500 Brush housing Laser 75 51.501 Suction nozzle Laser 65 / 75 51.036 Suction nozzle RS 80 51.504 Suction nozzle RS 90 51.105			50.286
		Duomatic Laser accessories Dryfit batteries 180 Ah/24 V 51.340 Suction lip front 65 (RS 80) 52.060 Suction lip front 65 special 52.062 Suction lip rear 65 (RS 80) 52.061 Suction lip front 75 (RS 90) 52.070 Suction lip front 75 special 52.072 Suction lip rear 75 (RS 90) 52.071 Pad drive disk 65 51.532 Pad drive disk 75 51.540 Scrubbing brush Supernylon 65 51.533 Scrubbing brush Supernylon 75 51.541 Scrubbing brush Tynex 65 51.534 Scrubbing brush Tynex 75 51.542 Polishing brush Union 65 51.535 Polishing brush Union 75 51.543 Water connector 3m 51.400				


Scrubber-driers

	Specifications		Description	Price in	Art. No.
Duomatic 800	Battery tension	36 V	Duomatic 800		50.600
	Area performance (theoretical)	4400 m ² /h	basic unit incl. suction nozzle		
	Area performance (practical)	3300 m ² /h	and brush housing,		
	Working width	813 mm	(without battery, charger		
	Total length	1690 mm	accessories and consumables)		
	Total width	870 mm			
	Suction with	1050 mm	Accessories		
	Total height	1035 mm	Charger 36 V/35A		51.336
	Number of brushes	2	Battery container for 220 Ah bat.		51.395
	Brush pressure max.	0.4 N/cm ²	Battery container for 280 Ah bat.		51.397
	Brush power adjustable	866 N	Operator seat with coupling		51.000
	Brush speed	170 1/min			
	Vacuum max.	190 mbar	Consumables		
	Airflow rate	37 l/s	Batteries Dryfit 36 V/220 Ah		51.37
	Membrane tank	150 l	Batteries Dryfit 36 V/280 Ah		51.385
	Forward speed	5.4 km/h	Pad drive with coupling *		51.150
	Reverse speed	3.6 km/h	Suction unit complete		59.676
	max. incline	8%	Brush housing complete		59.674
	Operational net weight	539 kg	Scrubbing brush SN *		51.265
	Operational time	4 h	Scrubbing brush Tynex *		51.280
	Operating time battery	2.5 hrs.	Scrubbing brush washed concrete*		51.285
	Drive	Fahrmotor	Polishing brush Union *		51.225
	Battery capacity	220/280 Ah	Squeegee front		52.030
	Power	2680 W	Squeegee rear PU LS 105		52.031
	Traction drive power	740 W	Poly-Pad yellow 410		52.340
	Brush motor power	1100 W	Poly-Pad red 410		52.341
Suction turbin	600 W	Poly-Pad blue 410		52.344	
Noise level	72 dB(A)	Poly-Pad green 410		52.342	
		Poly-Pad black 410		52.343	
		Microsol fibre pad 410		52.406	

* 2 pcs. Required

Scrubber-driers

	Specifications	Description	Price in	Art. No.
	Sprinter XR70/90			50.900
	Battery tension	24 V	Sprinter XR70/90	
	Theoretical Cleaning	5950 m ² /h/7650 m ²	(without suction nozzle, brush housing, batteries, battery charger and accessories)	
	Working width	700/900	Accessories	
	Max. forward speed	8.5 km/h	Brush housing XR70	51.062
	Max. reverse speed	3.0 km/h	Brush housing XR90	51.063
	Total width incl. suction nozzle	1100 mm	Suction nozzle RS 110	51.068
	Width incl. brush housing	780/980 mm	Dryfit batteries 220 Ah	51.350
	Total length	1550 mm	Dryfit batteries 280 Ah	51.523
	Total height	1500 mm	Pad drive disk (2 pcs.*)	51.155
	Turning circle, min.	1600 mm	Flashlight	51.075
	Brush motor	970 W	Optional 2 nd suction motor	51.237
	Suction motor	550 W	Battery trolley	51.072
	Vacuum	200 mbar	Battery container with rails	51.073
	Airflow rate		Battery rack	51.074
	Traction motor	1000 W	Consumables:	
	Brush pressure	0.28-1.10	Supernylon scrubbing brush XR70 (2 pcs.*)	51.274
	Brush force	260-1040 N	Supernylon scrubbing brush XR90 (2 pcs.*)	51.275
	Brush rotation speed	183/160	Tynex scrubbing brush XR70 (2 pcs.*)	51.276
	Membrane tank	130 l	Tynex scrubbing brush XR90 (2 pcs.*)	51.277
	Weight incl. batteries	535/540 kg	Microsol fibre pad XR70**	52.405
Running time per battery		Microsol fibre pad XR90**	52.409	
- 220 Ah/24 V	1.5-2.5 h	Suction lip PU front	52.038	
- 280 Ah/24 V	2.5-3.5 h	Suction lip PU rear	52.039	

	Sprinter XR70/90 TwinTurbo			50.901
	Battery tension	24 V	Sprinter XR70/90 TwinTurbo	
	Theoretical Cleaning	5950 m ² /h/7650 m ²	(without suction nozzle, brush housing, batteries, battery charger and accessories)	
	Working width	700/900	Accessories	
	Max. forward speed	8.5 km/h	Brush housing XR70	51.062
	Max. reverse speed	3.0 km/h	Brush housing XR90	51.063
	Total width incl. suction nozzle	1100 mm	Suction nozzle RS 110	51.068
	Width incl. brush housing	780/980 mm	Dryfit batteries 220 Ah	51.350
	Total length	1550 mm	Dryfit batteries 280 Ah	51.523
	Total height	1500 mm	Pad drive disk (2 pcs.*)	51.155
	Turning circle, min.	1600 mm	Flashlight	51.075
	Brush motor	970 W	Battery trolley	51.072
	Suction motor	550 W	Battery container with rails	51.073
	Vacuum	200 mbar	Battery rack	51.074
	Airflow rate	38	Consumables:	
	Traction motor	1000 W	Supernylon scrubbing brush XR70*	51.274
	Brush pressure	0.28-1.10	Supernylon scrubbing brush XR90*	51.275
	Brush force	260-1040 N	Tynex scrubbing brush XR70 *	51.276
	Brush rotation speed	183/160	Tynex scrubbing brush XR90 *	51.277
	Membrane tank	130 l	Microsol fibre pad XR70**	52.405
	Weight incl. batteries	530/535 kg	Microsol fibre pad XR90**	52.409
Running time per battery		Suction lip PU front	52.038	
- 220 Ah/24 V	1.5-2.5 h	Suction lip PU rear	52.039	
- 280 Ah/24 V	2.5-3.5 h			




*2 pcs. needed per machine

**1 pc. = 5 pads

Scrubber-driers

	Fits model	Pad-Colour	mm Ø	Description	Price in	Art. No.
Poly-Pads for Scrubber-driers	Duomatic 430 B	red	220	1 Pc. = 5 Pads		52.301
	Duomatic C43 / S43	blue		1 Pc. = 5 Pads		52.304
		green		1 Pc. = 5 Pads		52.302
		black		1 Pc. = 5 Pads		52.303
	Duomatic 500/501	yellow	255	1 Pc. = 5 Pads		52.305
	Duomatic C50 / S50	red		1 Pc. = 5 Pads		52.306
		blue		1 Pc. = 5 Pads		52.309
		green		1 Pc. = 5 Pads		52.307
		black		1 Pc. = 5 Pads		52.308
	Duomatic 550	yellow	280	1 Pc. = 5 Pads		52.310
		red		1 Pc. = 5 Pads		52.311
		blue		1 Pc. = 5 Pads		52.314
		green		1 Pc. = 5 Pads		52.312
		black		1 Pc. = 5 Pads		52.313
	Duomatic C60	red	307	1 Pc. = 5 Pads		52.291
		blue		1 Pc. = 5 Pads		52.292
		green		1 Pc. = 5 Pads		52.293
		black		1 Pc. = 5 Pads		52.294
	Duomatic 650 / 1000	red	330	1 Pc. = 5 Pads		52.321
	Laser 65 / 65L	blue		1 Pc. = 5 Pads		52.324
		green		1 Pc. = 5 Pads		52.322
		black		1 Pc. = 5 Pads		52.323
	Duomatic 700	yellow	355	1 Pc. = 5 Pads		52.330
	Sprinter XR 70	red		1 Pc. = 5 Pads		52.331
	EasyRider S70	blue		1 Pc. = 5 Pads		52.334
		green		1 Pc. = 5 Pads		52.332
		black		1 Pc. = 5 Pads		52.333
	Laser 75 / 75L	red	380	1 Pc. = 5 Pads		22.302
		blue		1 Pc. = 5 Pads		22.305
		green		1 Pc. = 5 Pads		22.303
		black		1 Pc. = 5 Pads		22.304
	Duomatic 800	yellow	410	1 Pc. = 5 Pads		52.340
	red		1 Pc. = 5 Pads		52.341	
	blue		1 Pc. = 5 Pads		52.344	
	green		1 Pc. = 5 Pads		52.342	
	black		1 Pc. = 5 Pads		52.343	
Servomatic 43 KA	yellow	430	1 Pc. = 5 Pads		22.321	
Scrubo 43	red		1 Pc. = 5 Pads		22.322	
Duomatic 430 E	blue		1 Pc. = 5 Pads		22.325	
	green		1 Pc. = 5 Pads		22.323	
	black		1 Pc. = 5 Pads		22.324	
Sprinter XR90	red		1 Pc. = 5 Pads		52.356	
EasyRider S90	blue		1 Pc. = 5 Pads		52.359	
	green		1 Pc. = 5 Pads		52.357	
	black		1 Pc. = 5 Pads		52.358	
Microsol® Fibre Pads for Scrubber-driers	Duomatic 430 B/BM		220	1 pc. = 5 Pads		52.400
	Duomatic C43 / S43					
	Duomatic 500/501		255	1 pc. = 5 Pads		52.402
	Duomatic C50 / S50					
	Duomatic C60		307	1 pc. = 5 Pads		52.410
	Duomatic 550		280	1 pc. = 5 Pads		52.403
	Duomatic 650 / 1000		330	1 pc. = 5 Pads		52.404
	Duomatic 700		355	1 pc. = 5 Pads		52.405
	Sprinter XR 70					
	EasyRider S70					
	Duomatic 800		410	1 pc. = 5 Pads		52.406
	Servomatic 43 KA		430	1 pc. = 5 Pads		52.408
	Duomatic 430 E					
	Sprinter XR 90		460	1 pc. = 5 Pads		52.409
	EasyRider S90					

Dry Vacuum Cleaners



	Specifications		Description	Price in	Art. No.
	Scuba	Power supply	230 V/50	Scuba basic Backpack vacuum	40.461
		Suction motor	1325 W	Scuba swift Backpack vacuum	40.462
		Vacuum	210 mbar	Scuba comfort Backpack	40.463
		Airflow rate	70 l/s		
		Tank capacity	6 l	Accessories:	
		Total height	650 mm	- Hand pipe 84 (2 pcs.)	41.300
		Work width	360 mm	- Combination nozzle 49	41.400
		Weight	5.2 kg	- Nozzle Set 48	41.425
		Cable length	15 m	- Fugue nozzle	31.450
		Protection class	II	- Teleskopic tube 81	41.320
		Picojet	no	- Teleskopic tube 82	41.415
				Filter bag	42.450
			1 unit = 10 bags		
	Monovac 6 Plus	Power supply	230 V/50	Monovac 6 plus complete set	40.601
		Suction motor	1050 W	with standard accessories:	
		Vacuum	275 mbar	- Hand pipe 84 (2 pcs.)	41.300
		Airflow rate	54.6 l/s	- Suction hose 14	41.206
		Tank capacity	6 l	- Dust suction nozzle with rollers	41.411
		Transport wheels	25/50 mm Ø	- 1 paper filter bag	
		Total length	385 mm		
		Total width	335 mm		
		Noise level	62 dB		
		Tank	288 mm Ø		
		Weight	6.6 kg		
		Cable length	10 m		
	Protection class	II			
	Picojet	yes			
	Ultrafilter	yes			
	Monovac 11 Plus	Power supply	230 V/50	Monovac 11 plus complete set	40.621
		Suction motor	1050 W	with standard accessories:	
		Vacuum	275 mbar	- Hand pipe 84, two parts	41.300
		Airflow rate	54.6 l/s	- Suction hose 14	41.206
		Tank capacity	11 l	- Dust suction nozzle with rollers	41.411
		Transport wheels	25/50 mm Ø	- 1 paper filter bag	
		Total length	480 mm		
		Total width	335 mm		
		Noise level	62 dB		
		Tank	288 mm Ø		
		Weight	6.8 kg		
		Cable length	10 m		
	Protection class	II			
	Picojet	yes			
	Ultrafilter	yes			

Dry Vacuum Cleaners




	Specifications	Description	Price in	Art. No.
Consumables for Monovac 6/11	Paper filter bag Monovac 6	1 pack = 10 bags		42.600
	Paper filter bag Monovac 11	1 pack = 10 bags		42.620
	Pre-filter Monovac 6			42.080
	Pre-filter Monovac 11			42.082
	Used air filter Monovac 6/11			42.081
	Pre-filter washable Monovac 6			42.092
	Ultrafilter (HEPA)			42.090
Accessories for Monovac 6/11 and Scuba*	1 Picojet 300 Monovac			40.321
	Picojet 300 Portavac/Bantam			40.320
	Spare brush for Picojet 300			42.035
	2 Dust suction nozzle with rollers 300			41.411
	3 Turbo-nozzle			41.405
	4 Nozzle set 48 compl., consisting of: - connector V47 and 5			41.425
	5 Ultrafilter for Bantam/Picovac (HEPA)			42.015
	6 Ultrafilter for Portavac/Karpawel (HEPA)			42.012
7 Combination nozzle 49			41.400	
8 Nozzle with rollers 360			41.415	
		*= not with Picojet		



Dry Vacuum Cleaners

	Specifications		Description	Price in	Art. No.
	Karpawel 350	Power supply	230 V/50	Karpawel 350	40.001
	Suction motor	850 W	Deep vacuuming and pile brushing machine		
	Vacuum	160 mbar	incl. 1 paper filter bag		
	Airflow rate	40 l/s			
	Brush motor	175 W	Accessories:		
	Tank capacity	6 l	Spare brush	42.025	
	Total length	260 mm	Paper filter bag, 1 unit = 10 bags	42.504	
	Total width	360 mm			
	Total height	1210 mm			
	Work width	300 mm			
	Weight	9 kg			
	Cable length	10 m			
Protection class	II				
	Karpawel 450	Power supply	230 V/50	Karpawel 450	40.006
	Suction motor	1000 W	Deep vacuuming and pile brushing machine		
	Vacuum	190 mbar	incl. 1 paper filter bag		
	Airflow rate	36 l/s			
	Tank capacity	175 W	Accessories:		
	Total length	6 l	Spare brush	42.027	
	Total width	260 mm	Paper filter bag, 1 unit = 10 bags	42.504	
	Total height	470 mm			
	Work width	1210 mm			
	Work width	415 mm			
	Weight	10 kg			
	Cable length	10 m			
Protection class	II				
Paper filter bags	Fits model:				
	Monovac 6 Plus			42.600	
	Monovac 11 Plus			42.620	
	Karpawel 350/450			42.504	
	Scuba			42.450	
	Portavac 6			42.506	
	Picovac			42.508	
	Twinvac 18/			32.500	
	Twinvac 25/ Duovac 34/Silento 3000			32.507	
	Silento 5000/50Duovac 40			32.505	



Wet and Dry Vacuum Cleaners

	Specifications		Description	Price in	Art. No.
	Twinvac 18	Power supply	230 V/50	Twinvac 18	30.401
	Suction motor	1200 W	incl. water suction device		31.101
	Turbine type	by-pass, 1-stage			
	Vacuum	225 mbar			
	Airflow rate	56 l/s			
	Tank capacity	18 l			
	Transport wheels	50/50 mm Ø			
	Total height	590 mm			
	Total width	380 mm			
	Total length	500 mm			
	Noise level	72 dB			
	Tank diameter	330 mm Ø			
	Weight	10.5 kg			
Cable length	10 m				
Protection class	II				
	Twinvac 25	Power supply	230 V/50	Twinvac 25	30.421
	Suction motor	1200 W	incl. water suction device		31.101
	Turbine type	by-pass, 1-stage			
	Vacuum	225 mbar			
	Airflow rate	56 l/s			
	Tank capacity	25 l			
	Transport wheels	150/50 mm			
	Total height	680 mm			
	Total width	380 mm			
	Total length	500 mm			
	Noise level	71 dB			
	Tank	330 mm Ø			
	Weight	11 kg			
Cable length	10 m				
Protection class	II				
	Duovac 34	Power supply	230 V/50	Duovac 34 wet vacuum cleaner complete	30.241
	Suction motor	850 W	incl. - water suction device		31.100
	Turbine type	by-pass, 2-stage	- suction hose 9		31.200
	Vacuum	212 mbar			
	Airflow rate	49 l/s			
	Tank capacity	34 l			
	Container material	CrNi 18/10			
	Suction head material	PP			
	Paper filter bag	yes	Accessories:		
	Chassis	tilting	- hand pipe 85		31.300
	Transport wheels	Ø200 mm Ø	- water suction nozzle 42		31.420
	Total length	680 mm	- combi nozzle 43		31.400
	Total width	425 mm			
Total height	925 mm				
Tank	320 mm Ø				
Weight	17 kg				
Cable length	10 m				
Protection class	II				


Wet and Dry Vacuum Cleaners

Specifications	Description	Price in	Art. No.
Accessories, consumables and parts for Twinvac 18/25 and Duovac 34	Twinvac wet vacuuming set		31.460
	consisting of		
	- suction hose 9		31.200
	- hand pipe 85		31.300
	- water suction nozzle 42		31.420
	Twinvac wet/dry vacuuming set		31.461
	consisting of		
	- suction hose 9		31.200
	- hand pipe 85		31.300
	- water suction nozzle 42		31.420
	- combination nozzle 43		31.400
	- pre-filter		31.120
	Accessories:		
	Pre-filter 18/25/34		31.120
	Filter bag with ring 18/25/34		31.130
	Wet goods filter bag with ring 18/25/34		31.150
	Neverclog filter bag without ring 18/25/34		31.165
	Dust suction nozzle with rollers 24		31.405
	Vacumat nozzle 34		31.480
	Parts:		
	Suction head Twinvac 18/25		30.451
	Suction head Duovac 18/25/34		30.251
	Suction container with tilting frame 34		31.010
Chassis without tilting frame 34		31.050	
Water suction device 18/25/34		31.100	
Water suction device 18/25		31.101	
Consumables:			
Paper filter bag Twinvac/Duovac 18 1 unit = 10 bags		32.500	
Paper filter bag Twinvac/Duovac 25/34 1 unit = 10 bags		32.507	
Exhaust air filter for Twinvac 18/25		32.440	

Wet and Dry Vacuum Cleaners


	Specifications		Description	Price in	Art. No.
	Duovac 50	Power supply	230 V/50 Hz	Duovac 50 wet vacuum cleaner	30.261
	Suction motor	2x850 =1700 W	incl. - Water suction device		35.507
	Turbine type	Bypass 2 speeds	- Tilting frame		31.055
	Vacuum	225mbar	- Suction hose 23		31.205
	Airflow rate	60l/s			
	Tank capacity	45 l	Accessories:		
	Tank material	PP	Hand pipe 86		31.305
	Suction head material	PP	Water suction nozzle 21		31.422
	Paper filter bags	no	Filter bag with ring		31.140
	Chassis	Tilting frame	Neverclog filter bag without ring		31.171
	Transport wheels	75/200 mm Ø	Water suction device		31.507
	Total length	775 mm	Motor head 5/50		30.281
	Total width	515 mm			
	Total height	920 mm			
	Tank	430 mm @			
	Weight	25 kg			
	Cable length	10 m			
	Protection class	II			
	Ultrafilter	no			
		Silento 5000/50	Power supply	230 V/50 Hz	Silento 5000/50
Suction motor		1100 W	wet vacuum cleaner complete		
Turbine type		Bypass 3 speeds	incl. - Water suction device		31.107
Vacuum		216 mbar	- Tilting frame		31.055
Airflow rate		57 l/s	- Suction hose 23		31.205
Tank capacity		50 l	- Hand pipe 86		31.305
Tank material		CrNi 18/10	- Water suction nozzle 21		31.422
Suction head material		CrNi 18/10			
Paper filter bags		yes	Paper filter bag 1 unit = 10 bags		32.505
Chassis		Tilting frame			
Transport wheels		75/250 mm Ø			
Total length		710 mm			
Total width		510 mm			
Total height		1060 mm			
Tank		386 mm Ø			
Weight		31 kg			
Cable length		12 m			
Protection class		I			
Ultrafilter		yes			
Accessories, consumables and parts for Silento 5000/50		Accessories:			
	Pre-filtering device with seal				31.127
	Filter bag with ring				31.145
	Wet filter bag with ring				31.160
	Neverclog filter bag without ring				31.170
	Parts:				
	Motor head for Silento 5000/50				30.281
	Suction tank for tilting frame 50 l				31.020
	Chassis with tilting frame				31.055
	Water suction device				31.107
	Special filter fitting with two-ply cloth filter				31.175
	Ultrafilter system for ultra-fine dust fitting for Silento 5000/50				
	Assembly set for filter (without filter)				31.185
	Ultrafilter (HEPA)				32.400
	Special cotton pre-filter, complete set				31.180
	Special accessories Ø 50 mm				
	Suction hose 15				31.215
	Hand pipe 51				31.315
	Dust suction nozzle with rollers 29				31.410
	Spare rubber for roller nozzle 29				32.314
Crevice nozzle 40				31.455	
Connector 49 for crevice nozzle				31.345	

Wet and Dry Vacuum Cleaners

	Specifications		Description	Price in	Art. No.
 <p>PermaVac S-5000 PRO</p>	Power supply	230 V/50 Hz	PermaVac S-5000 PRO		30.293
	Suction motor	1100 W	Wet vacuum cleaner with suction pump		
	Vacuum	216 mbar	Device consisting of:		
	Airflow rate	57 l/s	- Suction tank 59 l		
	Tank capacity	47 l	- Chassis Type B with 2 big and 2 small wheels		
	Tank material	CrNi 18/10	- 12 m draining hose		
	Suction head material	CrNi 18/10	- Suction pump with automatic regulation		
	Transport wheels	75/250 mm Ø	Suction head Silento 5000/50		30.281
	Total length	1000 mm	Water suction device with copper swimmer and seal		31.107
	Total width	490 mm			31.110
	Total height	640 mm			
	Tank	386 mm Ø			
	Weight	48 kg			
	Cable length	25 m			
	Protection class	I			
	Diving pump	200-240 V/50 Hz 700 W			
	Pump capacity	max. 9000 l/h			
Pumping height	max. 5 m				
			Standard accessories:		
			Suction hose 23 (3 m)		31.205
			Hand pipe 86		31.305
			Water suction nozzle 21		31.422
			Parts:		
			Moist dirt filter		31.178
			Additional handle		31.670
			Draining hose 12 m with 1 Storz-coupling		31.250
			Extension draining hose 12 m with 2 Storz-couplings		31.255

Wet and Dry Vacuum Cleaners

Article	Length	Diameter	Fits model*	Price in	Art. No.
Suction hoses, hand pipes and connectors					
Suction hoses					
1 Suction hose 9	2.5 m	32 mm	a,c,d		31.200
2 Suction hose 14	2.5 m	32 mm	a,c		41.206
3 Suction hose antistatic	2.5 m	32 mm	a,c		41.207
4 Suction hose 50 for pipe 84	1.5 m	32 mm	b		41.210
5 Suction hose 51 for pipe 85	1.5 m	32 mm	b		41.212
6 Suction hose 71	2.5 m	32 mm	k		51.035
7 Suction hose 23	3.0 m	38 mm	e,f,gi		31.205
8 Suction hose 15	3.2 m	50 mm	e,f,g		31.215
Suction hose extens. per	variable	38 mm	e,f,g		31.225
Suction hose extens. per	variable	32 mm	a,b,c,d,h		41.220
Stretch suction hose	1-2 m	32 mm	a,b,c,d		41.208
Hand pipes					
9 Hand pipe 12 (one part)	1.1 m	32 mm	a,b,c,d,h		31.310
10 Hand pipe 85 (one part)	1.3 m	32 mm	a,b,c,d,h		31.300
11 Extension pipe 83 (one part)	1.5 m	32 mm	a,b,c,d,h		31.320
12 Telescope suction pipe 81	0.6-1.0 m	36 mm	a,b,c		41.320
13 Hand pipe 84 (two parts)	1.0 m	36 mm	a,b,c		41.300
14 Hand pipe 86 (one part)	1.4 m	38 mm	e,f,g		31.305
15 Hand pipe 51 (one part)	1.1 m	50 mm	e,f,g		31.315
Connectors					
16 Connector V18 (32 to 32)		38/32 mm	a,b,c,d,h		31.325
17 Connector V37 (32 to 38)		38/32 mm	e,f,g		31.335
18 Connector V46 (Nozzle Set)		29/32 mm	a,b,c,d,h		41.325
19 Connector V47 (Nozzle Set)		29/36 mm	a,b,c		41.330
20 Connector V17 (38 to 38)		38/38 mm	e,f,g		31.340
21 Connector 49 (crevice nozzle 40)		50 mm	e,f,g		31.345






Wet and Dry Vacuum Cleaners


Article	Length	Diameter	Fits model*	Price in	Art. No.
Nozzles and consumables					
Nozzles					
1 Water suction nozzle 21	40 cm	42/32 mm	c,d,e,f,g,h		31.422
2 Dust suction nozzle (rollers)	40 cm	36 mm	a,b,c		31.405
3 Dust suction nozzle (rollers)	40 cm	42/32 mm	a,b,c		31.407
4 Dust suction nozzle (rollers)	34 cm	36 mm	a,b,c		41.411
5 Dust suction nozzle (rollers)	36 cm	36 mm	a,b,c		41.415
6 Dust suction nozzle (rollers)	50 cm	50 mm	e		31.410
7 Pointed rubber nozzle 33	26 cm	32 mm	a,b,c,d,e,h		31.440
8 Dust brush nozzle 50	10 cm	32 mm	a,b,c		31.446
9 Crevice nozzle 40		50 mm	e,f,g		31.455
10 Crevice nozzle 41	53 cm	32 mm	a,b,c,d,e,h		31.450
11 Water suction nozzle 42	40 cm	32 mm	c,d,e,h		31.420
12 Combination nozzle 43	30 cm	36 mm	a,b,c		31.400
13 Set of nozzles 44		(32 mm)	a,b,c		41.420
14 Set of nozzles 48		(32 mm)	a,b,c		41.425
15 Combination nozzle 49	30 cm	32 mm	a,b,c		41.400
16 Vacumat nozzle	68 cm	(50 mm)	d		31.480
17 Vacumat nozzle	68 cm	(50 mm)	f		31.485
18 Picojet 300 Bantam electro	30 cm	36 mm	b		40.320
19 Picojet 300 Monovac electro	30 cm	36 mm	a		40.321
20 Turbo nozzle	28 cm	36 mm	a,b		41.405
21 Upholstery nozzle		29 mm	a,b,c		41.432
22 Crevice nozzle		29 mm	a,b,c		41.430
23 Nozzle with dusting brush		29 mm	a,b,c		41.431
24 Radiator brush		29 mm	a,b,c		41.433
25 Universal brush nozzle 44		29 mm	a,b,c		41.434
Consumables					
Broad spare rubber for nozzle 21/42					32.300
Narrow spare rubber for nozzle 21/42					32.301
Black spare rubber for nozzle 24/25					32.310
Spare rubber for nozzle 29					32.314
Spare rubber for nozzle 33					32.312
Polyurethane rubber for nozzle 21/42					32.305
Spare brush for nozzle 50					32.446
Platform for combination nozzle 43/49					32.334
Spare rubber for Vacumat nozzle					52.010



Carpet Cleaning Machines

	Specifications		Description	Price in	Art. No.
	Extravac 340	Power supply	230 V/50	Extravac 340	40.231
	Suction motor	1100 W	Spray extraction machine with rotating soft brush		
	Brush motor	265 W			
	Pump pressure	2.5 bar			
	Pump capacity	2.2 l/min	Spare parts:		
	Membrane tank	34 l	Spare rotating brush, hard	42.045	
	Brush width	320 mm	Spare rotating brush, soft	42.047	
	Weight	48 kg			
	Total height	940 mm			
	Total width	430 mm			
	Total length	1160 mm			
	Work width	320 mm			
Cable length	20 m				
Protection class	I				
<hr/>					
	Extravac 280	Power supply	230 V/50	Extravac 280	40.201
	Suction motor	850 W	Spray extraction machine		
	Brush motor	90 W	incl. standard accessories		
	Pump pressure	2.4 bar	- Suction / pressure hose 3 m	41.550	
	Pump capacity	2.7 l/min	- Suction / spray pipe 260 mm	41.570	
	Membrane tank	28 l			
	Weight	22 kg	Accessories:		
	Total height	680 mm	Hand extraction nozzle 80 mm	41.515	
	Total width	370 mm	Pre-spraying lancet with 10 m	41.520	
	Total length	530 mm	Hard floor nozzle complete set 370 mm	41.500	
	Work width	260 mm	Wall extraction nozzle 80 mm with brush	41.505	
	Cable length	10 m	Parts:		
Protection class	I	Suction / pressure hose 3 m	41.550		
		Suction / spray pipe 260 mm	41.570		
<hr/>					
	Extravac 400	Power supply	230 V/50	Extravac 400	40.241
	Suction motor	1250 W	Spray extraction machine		
	Vacuum	250 mbar	incl. standard accessories		
	Airflow rate	50 l/sec	- Suction / pressure hose 4.5 m	41.535	
	Motor for pressure pump	370 W	with sliding connector	47.585	
	Pump pressure	3-11 bar	- Suction / spray pipe 290 mm	41.575	
	Pumping rate	1.8-3.5			
	Fresh water tank	30 l	Accessories:		
	Waste water tank	40 l	Hand extraction nozzle 80 mm	41.515	
	Weight	39 kg	Hard floor nozzle 370 mm	41.500	
	Height	840 mm	Wall extraction nozzle 80 mm with brush	41.505	
	Width	430 mm	Pre-spraying lancet with 10 m	41.520	
Length	820 mm				
Transport wheels	230/100 mm Ø	Parts:			
Work width	290 (375) mm	Suction / pressure hose 4.5 m	41.535		
Noise level	73 dB	Suction / spray pipe HD AI 290	41.575		
Cable length	15 m	Suction / spray pipe HD AI 375	41.580		
Protection class	I				



Steam Cleaning Machines

	Specifications	Description	Price in	Art. No.
	Calorvac DS 7			
	Power supply	230 V/50	Calorvac DS 7 complete set	30.601
	Turbine type	Bypass 2 speeds	Steam vacuum cleaner with hand rail	
	Steam tank capacity	6.4 l	incl. - Suction steam hose 3 m	31.600
	Steam pressure	4 bar	- Hand pipe with steam hose	31.605
	Steam temperature (tank)	152°C	- Floor nozzle 300 mm	31.620
	Heating performance	2500 W	- Wall/window nozzle 300 mm	31.625
	Suction motor	950 W	- Crevice suction nozzle 35 mm	31.630
	Tank material	GFK	- Steam jet nozzle 50 mm	31.635
	Paper filter bags	no	- Filling bottle 2 l	31.650
	Transport wheels	75 mm Ø		
	Total length	690 mm		
	Total width	360 mm		
	Total height	960 mm		
	Weight	23 kg		
Cable length	7.5 m			
Protection class	I			
Accessories and parts for Calorac DS 7	Parts:			
	Suction steam hose 3 m			31.611
	Hand pipe (2 pcs. needed, price per piece)			31.612
	Floor nozzle 300 m			31.613
	Wall/window nozzle			31.616
	Crevice suction nozzle 35 mm			31.630
	Steam jet nozzle			31.614
	Filling bottle			31.650
	Accessories:			
	Accessory set, consisting of:			31.603
	- Suction steam hose			
	- 2 pcs. hand pipe			
	- Floor nozzle			
	- Wall/window nozzle			
	- Crevice suction nozzle 35 mm			
	- steam jet nozzle			
	Wall nozzle narrow 14 cm			31.622
	- brush insert with bristles			
	- window wiper insert			
	Accessories basket			31.661
	Consumables:			
	Case for wall cleaning nozzle narrow			32.617
	Brush insert with bristles			31.618
	Window wiper insert			32.619
	Pipe extension 120 mm			32.623
	Sleeve for accessory holder			32.615
	Triangle brush			31.621



Sweepers

	Specifications		Description	Price in	Art. No.
	Top Sweep 255	Propulsion	manual		70.012
		Working width	550 mm		
		Weight	6 kg		
		Cleaning perform. theor.*	1600 m ² /h	Top Sweep 255	
		Waste container	25 l	Push sweeper	
	Top Sweep 770	Propulsion	manual		70.013
		Working width	770 mm		
		Weight	12 kg		
		Cleaning perform. theor.*	2860 m ² /h	Turbo Sweep 770	
		Waste container	50 l	Push sweeper	
	Top Sweep 970	Propulsion	electric &		70.014
		Working width	970 mm		
		Weight	21 kg		
		Cleaning perform. theor.*	4100 m ² /h	Turbo Sweep 970	
		Waste container	50 l	Push sweeper	


Sweepers

	Specifications		Description	Price in	Art. No.
	Kerwit A55 P	Propulsion	4-stroke-motor		70.106
	Power performance	2.6 kW	Kerwit A55 P		
	Cleaning width		Sweeper		
	without side broom	550 mm	without accessories		
	with side broom	780 mm	Accessories:		
	Cleaning perform. theor.*	3510 m ² /h	Carpet-Kit A55		71.040
	Work duration		Replacement dirt containers (set 2 pcs.)		71.018
	on full tank	approx. 4 h	Consumables:		
	Waste container	40 l	Main brush with PPL-bristles A55		72.003
	Filter area	1.44 m ²	Side broom with PPL-bristles A55/65/75		72.042
	Forward speed	0-4.5 km/h	Filter bag of polyester		72.004
	Total length*	1550 mm	A55 Rubber flap kit A55		72.005
	Total width*	835 mm	Carpet brush		72.140
	Total height with handle	880-980			
	Main brush	Ø 265 mm			
	Side broom	Ø 450 mm			
	Sound pressure level	78 dB			
	Climbing ability	15%			
	max. Turning circle	1520 mm			
	Weight	98 kg			
		*with side broom			
	Kerwit A55 B	Propulsion	electrical, 12 V		70.115
	Power performance	0.6 kW	Kerwit A55 B		
	Cleaning width		Sweeper		
	without side broom		without accessories		
	with side broom		Accessories:		
	Cleaning perform. theor.*	3510 m ² /h	Battery set 12V/100 Ah		51.413
	Work duration		Carpet-Kit A55		71.040
	per battery charge	approx 1.5 h	Replacement dirt containers (set 2 pcs.)		71.018
	Waste container	40 l	Consumables:		
	Filter area	1.44 m ²	Main brush with PPL-bristles A55		72.003
	Forward speed	0-4.5 km/h	Side broom with PPL-bristles A55/65/75		72.042
	Total length*	1550 mm	Filter bag of polyester		72.004
	Total width*	835 mm	A55 Rubber flap kit A55		72.005
	Total height with handle	880-980	Carpet brush		72.140
	Main brush	Ø 265 mm			
	Side broom	Ø 450 mm			
	Sound pressure level	64 dB			
	Climbing ability	15%			
	max. Turning circle	1520 mm			
	Weight	127 kg			

Sweepers

	Specifications		Description	Price in	Art. No.
	Kerwit A75	Propulsion	4-stroke-motor		70.351
	Power performance	4.8 kW	Kerwit A75 P		
	Cleaning width		Ride-On-Sweeper		
	without side broom	700 mm	with 1 side broom,		
	with side broom	950 mm	without accessories		
	Cleaning perform. theor.*	6460 m ² /h	Accessories:		
	Work duration		Hourmeter Kit A75	71.046	
	per filled tank	approx. 3 h	Refuse boxes A75 (kit of 2 pcs.)	71.000	
	Waste container	72 l	Carpet-Kit A75	71.045	
	Filter area	2.5 m ²	Consumables:		
	Forward speed	0-6.8 km/h	Main brush with PPL-bristles	72.020	
	Reverse speed	0 - 4 km/h	Side broom with PPL-bristles A55/65/75	72.042	
	Total length*	1510 mm	Filter bag of polyester A75	72.025	
	Total width*	1040 mm	Rubber flap kit A75	76.538	
	Total height	1240 mm			
	Main brush	Ø 285 mm			
	Side broom	Ø 450 mm			
	Climbing ability max.	18%			
Turning circle	1870 mm				
Weight	290 kg				
	*with side broom				
	Kerwit A75 B	Propulsion	electric, 24		70.361
	Power performance	1.9 kW	Kerwit A75 B		
	Cleaning width		Ride-On-Sweeper		
	without side broom	700 mm	with 1 side broom,		
	with side broom	950 mm	without accessories		
	Cleaning perform. theor.*	6175 m ² /h	Accessories:		
	Work duration		Hourmeter Kit A75	71.046	
	per battery charge	approx. 2 h	Refuse boxes A75 (kit of 2 pcs.)	71.000	
	Waste container	72 l	Carpet-Kit A75	71.045	
	Filter area	2.5 m ²	Consumables:		
	Forward speed	0-6.5 km/h	Main brush with PPL-bristles	72.020	
	Reverse speed	0 - 4 km/h	Side broom with PPL-bristles A55/65/75	72.042	
	Total length*	1510 mm	Filter bag of polyester A75	72.025	
	Total width*	1040 mm	Rubber flap kit A75	76.538	
	Total height	1240 mm			
	Main brush	Ø 285 mm			
	Side broom	Ø 450 mm			
	Climbing ability max.	18%			
Turning circle	1870 mm				
Weight	462 kg				
	*with side broom				

Sweepers

	Specifications		Description	Price in	Art. No.	
	Kerwit A80 D	Propulsion	4-stroke Diesel		70.031	
		Power performance	10.3 kW			
		Cleaning width		Ride-On-Sweeper, incl.		
		without side broom	800 mm	- Light set		
		with 1 side broom	1100 mm	- acoustic reverse warning signal		
		with 2 side brooms	1400 mm	- flash Light		
		Cleaning perform. theor.*		- Polyester filter bag		
		without side broom	6400 m ² /h	- non marking wheels		
		with 1 side broom	8800 m ² /h	- Main brush		
		with 2 side brooms	11200 m ² /h	- Side broom		
		Work duration max.	9 h			
		Waste container	150 l	Accessories:		
		Forward speed	0 - 8 km/h	Steering wheel knob		71.033
		Reverse speed	0 - 4 km/h			
		Total length*	1590 mm	Consumables:		
		Total width*	1125 mm	Main brush with PPL-bristles A80		72.060
		Total height	1430 mm	Side broom with PPL-bristles A80		72.061
		Main brush	Ø 300 mm	Polyester filter bag A80		72.062
		Side broom	Ø 550 mm	Rubber flap kit A80		72.063
	Climbing ability max.	20%				
	Turning circle	2320 mm				
	Weight	761 kg				
	*without side brooms					